

# STAVATTI™ SM-315 STILETTO

*Powered by*  
**F125XX**



## ADVANCED LIGHT FIGHTER

# SM-315 STILETTO

## Performance & Specifications

TYPICAL FLYAWAY COST: \$23 Million

AVAILABILITY: TBD

### TYPE

Light Fighter (LF), Air Defense Fighter (ADF) and Armed Reconnaissance (AR) Aircraft

### ACCOMMODATION

Flight Crew of One Seated on a Martin Baker MK16E or MK 18 Zero-Zero Ejection Seat

### POWERPLANT

One (1) Honeywell F125XX Afterburning Turbofan delivering 7,263 kgf st with Afterburner and 5,220 kgf st at Military Power. The powerplant is fitted with variable geometry, thrust vectoring and reversing 2D nozzle.

### STRUCTURE

Semi-monocoque aluminum lithium and aluminum honeycomb sandwich construction throughout. Titanium used in high fatigue areas and high temperature regions. Extensive use of Laser and Friction Stir Welding in all assemblies.

### ARMAMENT

Fixed: One fuselage mounted M61A2 20mm gatling cannon with 500 rds  
Expendable: Internal Weapons Bay and six external wing hardpoints for up to 3,450 kg of external stores

### DIMENSIONS

Wingspan	7.32 m	Wing Area	16.35 sq m
Length Overall	12.70 m	Wheelbase	4.78 m
Height Overall	2.74 m	Wheeltrack	3.25 m

### WEIGHTS & CAPACITIES

Empty Weight	3,904 kg	Wing Loading @ MMW (kg/sq m)	327
Max Internal Fuel	1,816 kg	Thrust-to-Weight @ MMW	1.36
Max Warload	3,450 kg	Wing Loading @ MTOW (kg/sq m)	583
Mid-Mission Weight (MMW)	5,344 kg	Thrust-to-Weight @ MTOW	0.76
Max Take-Off Weight (MTOW)	9,532 kg	Positive Load Limit @ MTOW	9.0

### PERFORMANCE

Max Level Speed @ SL	1.23 Mach	Max Climb Rate @ SL; MTOW	303 m/sec
Max Level Speed @ FL350	2.19 Mach	Max Climb Rate @ SL; MMW	471 m/sec
Max Cruise Speed @ SL	0.90 Mach	Dash Range @ 2.60 Mach	467 km
Max Cruise Speed @ FL350	0.90 Mach	Dash Radius @ 2.00 Mach	785 km
Typical Cruise Speed @ SL	0.80 Mach	Cruise Range @ 0.85 Mach	2,409 km
Typical Cruise Speed @ FL350	0.80 Mach	Air Superiority Radius, Internal Fuel	687 km
Takeoff Speed; MTOW @ SL	302 km/hr	Ferry Range with External Tanks	3,804 km
Stall Speed; MTOW @ SL	274 km/hr	Takeoff, Ground Roll @ SL-TTW	301 m
Approach Speed; Landing Weight @ SL	219 km/hr	Takeoff over 50 ft @ SL-TTW	580 m
Stall Speed; Landing Weight @ SL	189 km/hr	Landing, Ground Roll @ SL-TLW	811 m
Service Ceiling Exceeds	18,288 m	Landing over 50 ft @ SL-TLW	1,169 m

